



THE
BEAUTY
OF
REFLECTION

BOOKMATCH
COLLECTION



UNVEILING
THE
BEAUTY
OF BOLIVIA

**ABOUT
SAANS
VITRIFIED**

Saans has incorporated since 2011 have consolidated the image of the brand. The transformation carried out by its Research and Development and Innovation team has allowed **Saans** to be a product of the future and a company of a marvellous surfaces. Its product 600x1200mm glazed vitrified tiles have boosted the internationalization of the firm. **Saans'** creative and innovative designs offer solutions to today's challenges whilst posing new questions about the future, with constant reinventions.

**INNOVATION IS THE
ULTIMATE CORNERSTONE
OF SAANS VITRIFIED.**

BOOKMATCH

COLLECTION





OUR STONEWARE IS SAFE & RESISTANCE

Porcelain stoneware has excellent strength and surface hardness characteristics that make the surfaces resistant to wear, scratches and almost all physical and mechanical stresses.






Natural
Elegance
That Unfolds
It's Majestic
Beauty!

DESIGN RANGE


BOOKMATCH COLLECTION




21
DESIGN



Possibility 1



Possibility 2




BOOKMATCH

COLLECTION


DESIGN NAME : **B.M. DIASO GREY**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**








Possibility 1



Possibility 2



BOOKMATCH


COLLECTION

DESIGN NAME : **B.M. PEARLY WHITE CALACATTA**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**






Possibility 1



Possibility 2



BOOKMATCH


COLLECTION

DESIGN NAME : **B.M. MOCHA BROWN**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**






Possibility 1



Possibility 2



BOOKMATCH

COLLECTION


DESIGN NAME : **B.M. ONYX BEIGE**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**







Possibility 1



Possibility 2



BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. DAISY DIANA**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**





Possibility 1



Possibility 2




BOOKMATCH


COLLECTION

DESIGN NAME : **B.M. ATLAS WHITE**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**






Possibility 1



Possibility 2



BOOKMATCH

COLLECTION

DESIGN NAME : **B.M OXY TERRA**

DIMENSION : **600x1200mm / 60x120cm / 2'x4'**

FINISH : **POLISHED SURFACE**








Possibility 1



Possibility 2



BOOKMATCH


COLLECTION

DESIGN NAME : **B.M. STRIP ONYX**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**






Possibility 1



Possibility 2



BOOKMATCH


COLLECTION

DESIGN NAME : **B.M. CREAMY OPULANCE**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**







Possibility 1



Possibility 2



BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. SYMPHONY BROWN**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**








Possibility 1



Possibility 2



BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. LACY TRAVERTINE**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**





Possibility 1



Possibility 2



BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. DESERT GLOD**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**





Possibility 1



Possibility 2



BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. MIRASE BROWN**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**







Possibility 1



Possibility 2



BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. SAPPHIRE ONYX**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**





Possibility 1



Possibility 2



BOOKMATCH


COLLECTION

DESIGN NAME : **B.M. SERENITY CREMA**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**





Possibility 1



Possibility 2



BOOKMATCH

COLLECTION


DESIGN NAME : **B.M. CROWN ONYX**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**







Possibility 1



Possibility 2



BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. GILDED ONYX**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**





Possibility 1



Possibility 2



BOOKMATCH


COLLECTION

DESIGN NAME : **B.M. CALACATTA FLORA**
DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
FINISH : **POLISHED SURFACE**






Possibility 1



Possibility 2



BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. MINK MOSAIC**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**







Possibility 1



Possibility 2




BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. ERATHY MIRROR**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**







Possibility 1



Possibility 2




BOOKMATCH

COLLECTION

DESIGN NAME : **B.M. WISPER GREY**
 DIMENSION : **600x1200mm / 60x120cm / 2'x4'**
 FINISH : **POLISHED SURFACE**





MFG. FACTORY
AT MORBI, IN.

 FACTORY

 SALES NETWORK



REPRESENTATIVE OF
UNMISTAKABLE
INDIAN AUTHENTICITY
AND STYLE

MADE IN INDIA



Made in India isn't just style, design and excellence, it's a way of being. We identify with the values expressed by Indian ceramic tradition ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in India and which certify the quality of authentic Italian style.

WE CARE FOR NATURE

ENERGY OPTIMIZATION


-  Efficient methane gas cogeneration plant
-  Heat recovery from furnaces and cooling water
-  -40% CHP vapour recovery with 40% savings in methane gas
-  100% LED lighting, 50% annual power savings

WASTE MANAGEMENT

-  100% recycled raw and cooked waste
-  99% waste sent to recovery
-  100% recycled industrial water and 27% reduction in water consumption over the last 3 years
-  100% recyclable packaging materials

ENVIRONMENTAL HEALTH

-  Continuously operating purification and filtration systems
-  RTO system to reduce harmful emissions and odours
-  -60% Automated Vertical Warehouse: 60% reduction in CO₂
-  0% lead, cadmium, and other carcinogenic substances in products



CLEANING & MAINTAINANCE

1. CLEANING AFTER INSTALLATION

FOR REMOVING THE FOLLOWING RESIDUICE	TYPE OF DETERGENT	DETERGENT NAMES
cement base grout grout lime	buffered acid based	keranet
		cement remover
		deterdek pro
		hmk r63
		solvacid

2. EXTRAORDINARY CLEANING

FOR REMOVING THE FOLLOWING RESIDUICE	TYPE OF DETERGENT	DETERGENT NAMES
grease dust footmarks base cleaning	multipurpose alkaline-based (1)	ps87 pro
		intensivreiniger
		hmk r55
coffee coke fruit juice	multipurpose alkaline-based (1)	coloured stain remover
		super deterjet
wine	oxidizing agent	oxidant candeggina
calcareous deposits	acid-based (1)	viakal
rust	acid-based (1)	acido muriatico diluito
inks felt-tipped pen	solvent-based	diluyente nitro, acqua ragia
		coloured stain remover
pneumatic stains from rubber metals or pencils	abrasive paste (1)	vim clorex (2)
		polishing cream (2)
		detergum (3)
tile joint stains	specific	fuganet
		fugenreiniger
clean on a daily basis	neutral universal degreaser	floor cleaner
		cleaner pro
		pfleregereiniger
		bonamain + / bmain +
		smac expresse sgrassatore

SPECIAL MAINTENANCE

REMOVING GLOSSY GLAZE

Standard detergents that are available in the market sometimes contain waxes or polish additives that, wash after wash, deposit **glossy glaze** on the floor and causes annoying marks. These types of glazes can also settle on some joint grouts. When simply types of foods such as Coke, wine, water, etc., fall on the floor, they remove this type of glossy glaze and restore the **original appearance** of the tiles (a more opaque look).


In the middle of the shinier floor, the areas without wax appear as opaque marks, but they are actually the only clean parts of the floor. In these cases, the following must be done:

1. First of all, remove the glossy glaze from the entire floor (see table below);
2. Then, for daily cleaning, use neutral detergents that do not contain wax or polishing glaze

NEVER USE: Waxing and impregnating agents - Acid or alkaline detergents - Abrasive pastes - Abrasive brushes or sponges.

RESIDUES TO BE REMOVED	TYPE OF DETERGENT	DETERGENT NAMES
glossy glaze	weak acidulous	tile cleaner pure (*)

(*) Do not follow the instructions on the package, just apply the pure detergent, leave it on for 5-10 minutes, rub it with soft pads (white, yellow) and rinse it thoroughly with water. Do not use wax on **SAANS VITRIFIED**.



CLEANING "AFTER THE INSTALLATION"

1. Cleaning "after the installation" helps remove residues of grout-joints, cement and lime. This is obligatory at the end of the installation, for glazed tiles and unglazed tiles.
 2. If the cleaning "after the installation" is not carried out properly or if is not carried out at all, is often a cause of marks that prevent the floor from being clean even if a good daily cleaning is performed.
 3. Whenever is possible, especially for medium to large surfaces, it is advisable to use a single-brush machine with soft disks (white or beige).
 4. cleaning cement-based grouts mixed with water.
- It is carried out with specific detergents based with buffered and diluted acids. The table below shows some of these detergents, which are easily available in the market.

INSTRUCTIONS ON HOW TO CLEAN "AFTER THE INSTALLATION"

1. Clean 4-5 days after the grouting (the grout must be hardened); do not wait over 10 days. In addition to this period, the cleaning can become very laborious.
2. Moisten the floor with water before cleaning. This way the groutings are soaked with water and the contact with detergents is reduced.
3. Let the detergents operate for limited periods, hence rinse out with water as soon as possible.
4. It must not be carried out if the tiled surfaces are very hot (i.e. exposed to the sun during very warm days); this must be avoided as the action of aggressive chemicals become very harsh. On the summer, proceed with the operation during the coolest period of the day.
5. Make sure to always perform a precautionary test before using the product (on a tile that is not laid), especially for Lapped or Polished products.
6. cleaning for epoxy, bi-component and reagent grouts In these cases the removal must be carried out immediately and carefully following the recommendations of the manufacturers, as these grout harden very fastly, even in a few minutes. Please carefully follow the cleaning mode specified by the manufacturer of the grout used; verify its effectiveness (backlight also) with a preliminary cleaning test before grouting the entire floor/wall.
7. "Antislip" tiles that are made with rough and/or textured surfaces must be cleaned very laboriously. Therefore, it is advisable to clean "after the installation", quickly and thoroughly, using a single-brush machine with disks white and beige.



LAYING INSTRUCTION





DRY LAYING ON GRASS

In the case of a grass surface, the paving should be laid dry without the use of adhesives. This installation technique is simple, ecological, and can be carried out without specialised personnel. This technique is ideal for rapid creation of elegant paths in public parks and private gardens.

LAYING ON GARVEL

The different installation methods make it possible to create complex spaces while ensuring visual uniformity even when working on diverse substrates. In the presence of a gravel substrate, the floor surface can be installed simply by placement of the tiles without the use of adhesives. This method streamlines the levelling procedure and also guarantees excellent stability. The solution allows the creation of decorative effects using gravel and pebbles of different particle sizes and colours.




LAYING ON SCREED WITH ADHESIVE

The technical characteristics of the glazed vitrified tiles are perfectly compatible also with sandy substrates. This makes the system especially suitable for public areas in the proximity of beaches and in beach bars. Resistant to the action of solar UV radiation and prolonged contact with salt. Impervious to wear caused by sand abrasion. In addition, the R11 A+B+C surface is an advantage for the safety of holiday makers. Installed completely dry, the tiles are the ideal practical and robust solution for seasonal businesses requiring periodic setup and removal operations, such as kiosks or temporary structures in general installed on beaches.

LAYING ON RAISED FLOOR

The Saans' 9mm glazed vitrified tiles are composed of pedestals to raise the floor surface with respect to the base level, resulting in the creation of an underfloor void that can be used to route electrical cables and pipework easily. This allows inspection of technical systems at any time and simple replacement of components if necessary. The system is assembled without adhesives. Dry assembly of the structure is extremely effective in applications where correct drainage is important.





SAANS VITRIFIED LLP

Matel Road, 8-A National Highway,
Lakaddhar, Wankaner - 363622 Morbi, Gujarat, INDIA



E-mail

sales@saanstiles.com

Website

www.saanstiles.com



Customer Care

+91 95125 68680



Follow Us

